CSCE 330 Fall 2007

Quiz 7

Assigned Thursday, 07-09-13

Give a loop invariant for this program fragment: x := 2;i := 1;(*What is the precondition here?*) while (i <= n) do begin x := x*x;i := i+1end

with precondition $n \ge 1$ and postcondition $x = 2^{2^n}$. **Answer:** $x = 2^{2^{i-1}} \land i \le n+1$.

Also answer the following questions.

- 1. What is the precondition before the loop? **Answer:** $x = 2 \land i = 1 \land n \ge 1$
- 2. Your invariant should consist of the conjuction of two formulas. One of them should be very similar to the condition of the while loop. Explain why that formula is needed. **Answer:** To insure that i = n + 1 (rather than just i > n) when the loop is exited.
- 3. Show that the precondition at the line with asterisks implies the invariant. **Answer:** In short: (1) Since i = 1 and x = 2, then $x = 2^{2^{i-1}}$. (2) Since i = 1 and $n \ge 1$, then $i \le n + 1$.
- 4. Show that the invariant together with the negation of the loop implies the postcondition. **Answer:** In short: (1) Since $i \le n+1$ and i > n then i = n+1. (2) Since $x = 2^{2^{i-1}}$ and i = n+1, then $x = 2^{2^n}$.
- 5. Let x be the value of the variable x before executing the body of the loop and x' be the value of the variable x after executing the body of the loop. Write an equation that relates x and x'. Answer: x' = x * x.
- 6. Let i be the value of the variable i before executing the body of the loop and i' be the value of the variable i after executing the body of the loop. Write an equation that relates i and i'. **Answer:** i' = i + 1.